







# LS-6N, LS-12

## 6/12-Channel Low-Speed Data Modules

### Ordering

#### MP-2100M-LS-6N

6-channel low-speed data module for MP-2100/2104 and MP-4100

#### MP-2100M-LS-12

12-channel low-speed data module for MP-2100/2104 and MP-4100

### OPTIONAL ACCESSORIES




#### CBL-LS12/#

Octopus cable for splitting one 68-pin SCSI female module connector into six 25-pin D-type channel connectors, for direct connection to DTE equipment. Cable length is 2m (6 ft).

#### Legend

- # D-type connectors:
- F female
- M male

Megaplex Low-Speed Modules

	HS-RN	LS-6N, LS-12	HS-DP/3, HS-DP/6
<b>Feature</b>			
Interface Type	V.24/RS-232	V.24/RS-232	OCU-DP
Number of Channels	4	6/12	3/6
Number of Connectors	2	1/2	3/6
Multiplexing Method	ITU-T I.460/V.110	Proprietary	BELLCORE TA-TSY-0000777
Data Rate	0.6 – 64 kbps	2.4 – 64 kbps	2.4 – 56 kbps
Supported by MP-4100	✓	✓	-

**International Headquarters**  
 24 Raoul Wallenberg Street  
 Tel Aviv 69719, Israel  
 Tel. 972-3-6458181  
 Fax 972-3-6498250, 6474436  
 E-mail market@rad.com

**North America Headquarters**  
 900 Corporate Drive  
 Mahwah, NJ 07430, USA  
 Tel. 201-5291100  
 Toll free 1-800-4447234  
 Fax 201-5295777  
 E-mail market@rad.com

[www.rad.com](http://www.rad.com)

Order this publication by Catalog No. 801798  
 Order from: Cutter Networks Inc Phone: 727-398-5252



**data communications**

The Access Company  
[www.bestdatasource.com](http://www.bestdatasource.com)

764-129-05/10 Specifications are subject to change without prior notice. © 1988-2010 RAD Data Communications Ltd. The RAD name, logo, logo type, and the terms EtherAccess, TDMoIP and TDMoIP Driven, and the product names Optimix and Irmux are registered trademarks of RAD Data Communications Ltd. All other trademarks are the property of their respective holders.